

相机类型	镜头参数	水平距离	垂直高度	车位标准
二车位相机	2.8mm	2m-4.5m	2m-3.5m	宽2.5M 长6.0M
	4mm	2.5-6m (常规出货镜头)	2m-3.5m	
相机类型	镜头参数	水平距离	垂直高度	
三车位相机	2.8mm	2.5m-6.5m (常规出货镜头)	2m-3.5m	
	4mm	4.5-8m	2m-3.5m	

环境参数		识别效果 (单车位标准宽度为2.5m)	
水平距离	相机高度	识别车位数量	识别效果
2	2	3	3车位最佳范围
	2.5	3	
	3	3	
	3.5	3	
2.5	2	3	
	2.5	3	
	3	3	
	3.5	3	
3	2	3	
	2.5	3	
	3	3	
	3.5	3	
3.5	2	3	
	2.5	3	
	3	3	
	3.5	3	
4	2	3	
	2.5	3	
	3	3	
	3.5	3	
4.5	2	3	
	2.5	3	
	3	3	
	3.5	3	
5	2	3	
	2.5	3	
	3	3	
	3.5	3	
5.5	2	3	
	2.5	3	
	3	3	
	3.5	3	
6	2	3	
	2.5	3	
	3	3	
	3.5	3	
6.5	2	3	
	2.5	3	
	3	3	
	3.5	3	
7	2	3	
	2.5	3	
	3	3	
	3.5	3	

环境参数		识别效果 (单车位标准宽度为2.5m)	
水平距离	相机高度	识别车位数量	识别效果
2	2	2	3车位最佳范围
	2.5	2	
	3	3	
	3.5	3	
2.5	2	2	
	2.5	3	
	3	3	
	3.5	3	
3	2	3	
	2.5	3	
	3	3	
	3.5	3	
3.5	2	3	
	2.5	3	
	3	3	
	3.5	3	
4	2	3	
	2.5	3	
	3	3	
	3.5	3	
4.5	2	3	
	2.5	3	
	3	3	
	3.5	3	
5	2	3	
	2.5	3	
	3	3	
	3.5	3	
5.5	2	3	
	2.5	3	
	3	3	
	3.5	3	
6	2	3	
	2.5	3	
	3	3	
	3.5	3	
6.5	2	3	
	2.5	3	
	3	3	
	3.5	3	
7	2	3	
	2.5	3	
	3	3	
	3.5	3	
7.5	2	3	
	2.5	3	
	3	3	
	3.5	3	
8	2	3	
	2.5	3	
	3	3	
	3.5	3	